
PLEASE READ BEFORE ASSEMBLING!

Tip #1: Make sure you've taken all the pieces and hardware out of its packaging before discarding the box.

Tip #2: Using page 2 and/or page 3 of instruction manual make sure all pieces and hardware are accounted for.

Tip #3: Read manual before assembling, it helps!


ITEM#:14948 10339 171915



PAGE:1 OF 8

PARTS IDENTIFICATION

ITEM#: 14948 10339 171915




(1)	1pc	(8)	1pc (15)	1pc	(22)	1pc
(2)	1pc	¦ (9)	4pcs (16)	1pc	(23)	1pc
(3)	1pc	(10)	1pc (17)	2pcs	ı 	
(4)	1pc	(11)	1pc ¦ (18)	2pcs		
(5)	2pcs	(12)	1pc ¦ (19)	1pc		
(6)	2pcs	(13)	1pc (20)	1pc		PAGE:2 OF 8
(7)	1pc	(14)	2pcs (21)	1pc		11102.2 01 0

HARDWARE IDENTIFICATION

ITEM#: 14948 10339 171915


A		L29	30pcs
В		Ø15	30pcs
С		Ø8×25	22pcs
D		ø5	20pcs
Е		Ø4×25	3pcs
F		Ø4×40	2pcs
G	00	ø18	4pcs
Н	0====	Z1016	40pcs
Ī		Ø6×30	
J		301A	4pcs
K		301C	4pcs
L	(8))))))	Ø4×16	32pcs
M	<u> </u>	Ø16	8pcs
<u>N</u>		197×5×1	1pc
0	(E)10000000-	Ø4×25	1pc
P		Ø5×40	1pc
Q 		Ø8×40 	1pc
R	00	12×12×1	2pcs
S		Glue: For securing please apply to wood dowel first before inserting into panel	1pc
		PAGE: 3	3 OF 8

ITEM#: 14948 10339 171915




STEP1

STEP2




STEP3




PAGE:4 OF 8


ITEM#: 14948 10339 171915



STEP4




ITEM#: 14948 10339 171915




STEP6

STEP7




PAGE:6 OF 8

ITEM#: 14948 10339 171915




STEP9




PAGE:7 OF 8

ITEM#: 14948 10339 171915



STEP11



PAGE:8 OF 8

ANTI-TIPPING STRAP INSTRUCTION

HARDWARE (INCLUDED):

TOOLS NEEDED (NOT INCLUDED):

DRYWALL ANCHOR \$\phi 8X40 X 1PC



DRILL & DRILL BIT



METAL BRACKETS 12×12×1 X 2PCS



LIGHT HAMMER



DRYWALL SCREW \$5X40 X 1PC




STRAP $197 \times 5 \times 1$ X 1PC


 $\{\}$

FLATHEAD SCREW \$\phi 4X25 X 1PC


Note: Hardware included only compatible with standard drywalls.



1. Find spot on wall 1" below top of item 2. Using a drill bit slightly thinner than anchor, drill hole into drywall.




1. Use a light hammer to tap anchor into hole.
2. Anchor should fit snugly. If hole is too small, drill again to increase hole size . Do not force anchor into wall.



bracket and into drywall anchor.

2. Insert flathead screw into second metal bracket and into back of item. along top edge.



1. Insert strap thru bracket attached to wall. then thru bracket on item, and into head of strap.
2. pull lightly til strap stops.
Assembly is complete.